

## Wooden Pallet 600 X 1000 X 135 - Semi-Heavy

| Dimensions |          |
|------------|----------|
| Length     | 1000 mm  |
| Width      | 600 mm   |
| Height     | 135 mm   |
| Weight (*) | 13,06 kg |

(\*) Average value. Weight may vary following moisture content in the wood, specie of the wood. Valuation can reach 30% after kiln-dry.

| Manutention        |           |
|--------------------|-----------|
| Entries            | 4         |
| Bottom boards      | 3         |
| Rackable           | Non / No  |
| Nestable           | Non / No  |
| Stackable          | Oui / Yes |
| Forks entry height | 78 mm     |
| Forks entry Width  | 300 mm    |

| Resistance                     |                    |
|--------------------------------|--------------------|
| Static loading weight max (*)  | 1000 kg            |
| Dynamic loading weight max (*) | 750 kg             |
| Footprint                      | ,60 m <sup>2</sup> |
| Volume                         | ,08 m <sup>3</sup> |
| ISMP15 conformity              | Non / No           |
| Kiln Dry                       | Non / No           |
| Average moisture content (**)  | 45 %               |

(\*) Following uniform conditioning and use as normal condition.

(\*\*) Average moisture content, may vary following ambient hygrometry and/or storage conditions and/or date of production

| Matière                |                   |
|------------------------|-------------------|
| Raw material           | Wood              |
| Number of blocks       | 6                 |
| Raw material of blocks | Wood or composite |

| Composition (en mm)*   |           |          |         |           |  |
|------------------------|-----------|----------|---------|-----------|--|
|                        | Quantité  | Longueur | Largeur | Epaisseur |  |
| Top Boards 1           | 5         | 1000     | 75      | 17        |  |
| Top Boards 2           | 0         | 0        | 0       | 0         |  |
| Stringer 1             | 3         | 600      | 78      | 20        |  |
| Stringers 2            |           |          |         |           |  |
| Blocks or Bars 1       | 6         | 0        | 0       | 78        |  |
| Blocks or Bars 2       | 0         | 0        | 0       | 0         |  |
| Bottom boards 1        | 3         | 600      | 78      | 20        |  |
| Bottom boards 2        | 0         | 0        | 0       | 0         |  |
| Chamfer                | Oui / Yes |          |         |           |  |
| Full Tray              | Non / No  |          |         |           |  |
| Corner Cut             | Oui / Yes |          |         |           |  |
| Overflowing Tray       | Non / No  |          |         |           |  |
| Space between boards   | 56,25     |          |         |           |  |
| Cubage Théorique (dm3) | 14,84     |          |         |           |  |

(\*) Dimensions may vary of +/- 3 % par item following specie used and/or moisture content and/or storage time and/or storage condition.



## **Exportation :**

***Strongly recommended for your exportation: add a mechanical drying to the mandatory ISPM15 treatment.***

***This will prevent mold and/or mushrooms that may cause potentially cardboard and product contamination.***

[www.mypalletsonline.com](http://www.mypalletsonline.com)