

## Wooden Pallet 800 X 1200 X 144 - Epal (Exchange Pallet)

Dimensions	
Length	1200 mm
Width	800 mm
Height	144 mm
Weight (*)	39,81 kg

(\*) Average value. Weight may vary following moisture content in the wood, specie of the wood. Valuation can reach 30% after kiln-dry.

Manutention	
Entries	4
Bottom boards	3
Rackable	Oui / Yes
Nestable	Non / No
Stackable	Oui / Yes
Forks entry height	100 mm
Forks entry Width	260 mm

Resistance	
Static loading weight max (*)	4000 kg
Dynamic loading weight max (*)	1250 kg
Footprint	,96 m <sup>2</sup>
Volume	,14 m <sup>3</sup>
ISMP15 conformity	Oui / Yes
Kiln Dry	Oui / Yes
Average moisture content (**)	45 %

(\*) Following uniform conditioning and use as normal condition.

(\*\*) Average moisture content, may vary following ambient hygrometry and/or storage conditions and/or date of production

Matière	
Raw material	Wood
Number of blocks	9
Raw material of blocks	Wood or composite

Composition (en mm)*					
	Quantité	Longueur	Largeur	Epaisseur	
Top Boards 1	3	1200	145	22	
Top Boards 2	2	1200	100	22	
Stringer 1	3	800	145	22	
Stringers 2					
Blocks or Bars 1	6	145	145	78	
Blocks or Bars 2	3	145	145	78	
Bottom boards 1	1	1200	145	22	
Bottom boards 2	2	1200	100	22	
Chamfer	Oui / Yes				
Full Tray	0				
Corner Cut	Oui / Yes				
Overflowing Tray	Non / No				
Space between boards	41,25				
Cubage Théorique (dm3)	45,23				

(\*) Dimensions may vary of +/- 3 % par item following specie used and/or moisture content and/or storage time and/or storage condition.



### Exportation :

**Strongly recommended for your exportation: add a mechanical drying to the mandatory ISPM15 treatment.**

**This will prevent mold and/or mushrooms that may cause potentially cardboard and product contamination.**