

PVC 600 X 800 X 150 - Loads 200KG

Dimensions	
Length	800 mm
Width	600 mm
Height	150 mm
Weight (*)	8 kg

Manutention	
Entries	4
Bottom boards	2
Rackable	Non / No
Nestable	Non / No
Stackable	Non / No
Forks entry height	80 mm
Forks entry Width	350 mm

Resistance	
Static loading weight max (*)	700 kg
Dynamic loading weight max (*)	200 kg
Footprint	,48 m ²
Volume	,07 m ³
ISMP15 conformity	Oui / Yes
Kiln Dry	Oui / Yes
Average moisture content (**)	0 %

(*) Selon une charge uniformément répartie sur le plateau et une utilisation dans des conditions normales de manutention

Matière	
Raw material	PVC
Number of blocks	4
Raw material of blocks	PVC

www.mypalletsonline.com

Composition (en mm)*					
	Quantité	Longueur	Largeur	Epaisseur	
Top Boards 1	4	600	115	25	
Top Boards 2	0	0	0	0	
Stringer 1	2	800	115	25	
Stringers 2					
Blocks or Bars 1	4	115	115	80	
Blocks or Bars 2	0	0	0	0	
Bottom boards 1	2	800	115	25	
Bottom boards 2	0	0	0	0	
Chamfer	Non / No				
Full Tray	Non / No				
Corner Cut	Non / No				
Overflowing Tray	Non / No				
Space between boards	113,33				
Cubage Théorique (dm3)	20,33				

(*) Dimensions may vary of +/- 3 % per element

www.mypalletsonline.com

